

Report No. : CH:TX:8420048834

DATE : 12/09/2017



KOL - 5290

INDIANA LEATHERS
32, DILKHUSA STREET
Kolkata-700017
IN

CONTACT PERSON : Mr.WASIM AKRAM

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION LEATHER
COW LEATHER
COLOUR WHITE
PHOTO APPENDIX.



SAMPLE RECD ON 07/09/2017 **TESTING PERIOD :** 07/09/2017 - 11/09/2017

Summary of Test Results/Conclusion		
Test Method / Standard	Clause/Test Name	Status / Performance Level
BS EN 388:2016	Protective Gloves against mechanical risks	
	Clause 6.1- Abrasion Resistance	Performance level 3

Per pro SGS India Private Ltd.

K. PACHAIYAPPAN
ASST. MANAGER

Email your Test Report Related Enquiries at Feedback.SLT@sgs.com



RESULTS

BS EN 388 : 2016 Protective Gloves against mechanical risks

Clause	Test Name	Result	Performance level
6.1	Abrasion resistance Protection part : Palm	Sample #	Break Through Between /(Rubs)
		1	2000-8000
		2	2000-8000
		3	2000-8000
		4	2000-8000
		Observation : Break through occurred before 8000 rubs.	Level - 3

Requirement as per BS EN 388:2016

Table - 1

Clause/Test Name	Level 1	Level 2	Level 3	Level 4	Level 5
6.1 Abrasion resistance (Number of rubs)	100	500	2000	8000	-

***** End of Report*****